

Selective Beta-1 Blockers

Selective β_1 -blockers are drugs that act to block β_1 -adrenergic receptors and typically treat cardiovascular diseases. They work to block the actions of norepinephrine and epinephrine on cardiovascular contractility, chronotropy, and the body's release of renin. These drugs can be remembered by commonly starting with a letter from A-M and containing the "-olol" suffix in their names, such as atenolol, esmolol, and metoprolol. Some β_1 -blocking drugs also work as partial β_2 -agonists at high doses, such as acebutolol.



PLAY PICMONIC

Characteristics

"-olol" Suffix

Lolly

Like all β -blockers, these medications have generic names ending with the suffix "-olol." However, it is important to note that selective β_1 -blockers begin with a letter from A-M, as opposed to nonselective β -blockers, which begin with a letter from N-Z. Two notable exceptions are the nonselective β -blockers carvedilol and labetalol.

Drug Names

Beta-1 Selective

Selective (β_1) Beta-fish (1) Wand

These medications are selective for blocking β_1 -adrenergic receptors. They decrease heart rate, contractility, and renin release.

Atenolol

Antenna-lolly

Atenolol is a β_1 -blocker that does not cross the blood-brain barrier. This medication is typically indicated for arrhythmias, angina, MI, and hypertension (though it is not first-line for hypertension).

Esmolol

S-mole-lolly

Esmolol is a very short-acting drug with rapid onset. This medication is typically given via IV in certain operating room scenarios to treat tachycardia and supraventricular tachycardia (SVT). It is also the drug of choice in aortic dissection.

Metoprolol

Metro-pro-lolly

Metoprolol is a β_1 -blocker typically used for rate control, angina, MI, and CHF. Because it crosses the blood-brain barrier, it can be used for migraine prophylaxis. It has off-label use for anxiety disorders as well.

Partial Beta agonists

Partial Beta-fish Dragonist

Some β_1 -selective blockers also act as partial β -agonists at high doses. This means that they have some intrinsic sympathomimetic activity along with their β -blocking activities, like the medication acebutolol.

Acebutolol

Ace-butt-lolly

Acebutolol is a β_1 -blocker with partial β -agonist activity at high doses. It is typically indicated for arrhythmias and hypertension.