


Cirrhosis Assessment (OLD VERSION)

Be sure to view the Picmonic on Complications of Cirrhosis as this includes important assessment findings, while this Picmonic builds on some additional information and symptoms you may see in patients. Cirrhosis is a chronic liver disease that evolves slowly, has a prolonged course, and occurs as a result of excessive alcohol intake, nonalcoholic fatty liver disease (NFLD), or chronic hepatitis C. As a result of these disorders, cirrhosis stems from degeneration and destruction of liver cells.



PLAY PICMONIC

Mechanism

Degeneration and Destruction of Liver Cells

Degenerating and Destroyed Liver Cells

In cirrhosis there is hepatic damage. The liver cells attempt to regenerate, but this process is unorganized. This results in abnormal architecture with irregular lobules that impede blood flow. This leads to decreased liver function in patients.

Signs and Symptoms

Jaundice

Jaundice-janitor

Jaundice results from the overgrowth of liver cells and connective tissue, leading to connective tissue overgrowth. As the body is unable to conjugate and excrete bilirubin, jaundice or yellowing of the skin, occurs.

Fatigue

Sleepy-guy

The onset of cirrhosis is insidious, and an early symptom is fatigue. Patients may attribute this to other etiologies and might not be aware of their liver condition.

Palmar Erythema

Red Palm

Palmar erythema is described as a red area of skin on the palms that blanches with pressure. This can also develop in cirrhotic patients as a result of increased estrogen.

Spider Angiomas

Spider Angel

As a result of increased circulating estrogen and an inability to metabolize steroid hormones, spider angiomas can develop. These are dilated blood vessels with a bright red center point and spider-like branches, which can occur on the trunk, neck, face, nose and shoulders.

Hepatosplenomegaly

Liver-and-spleen-balloons

Due to dysfunctional liver cell degeneration, the liver becomes enlarged and fibrosed. This leads to hypertension in the portal vein (going through the liver), which leads to increased venous pressure in organs feeding into the liver. This leads to splenomegaly as well.

Edema

Edamame

Because the liver is producing less albumin, and there is more portal hypertension, fluid is squeezed out of the vasculature into tissues. This is displayed as peripheral edema (ankle, legs), but can also turn into ascites, which is the accumulation of serous fluid in the abdominal cavity.



Gynecomastia or Hirsutism

Man-boobs and Bearded-woman

Normally, the liver metabolizes hormones, like estrogen and testosterone. With cirrhosis, these hormones are not broken down as normal, and excess estrogen leads to gynecomastia (male breasts) in men, while excess testosterone leads to hirsutism (facial hair development) in women.

Change in LOC

Delta Halo

Patients display a change in their level of consciousness, in a complication known as hepatic encephalopathy. Increased circulating ammonia leads to neurotoxic effects, and patients experience changes in mental responsiveness, impaired memory and consciousness, or even coma.