

# **Teriparatide**



PLAY PICMONIC

### PTH Analog

#### Parachuting-thigh-droid with Harmonica On-a-log

Teriparatide is a recombinant PTH analog commonly used in the treatment of osteoporosis and specifically approved for use in those with glucocorticoid-induced osteoporosis.

#### **Increased Osteoblast Activity**

**Up-arrow Ostrich-blast** 

Teriparatide works to increase osteoblastic activity, which leads to bone growth. This effect occurs when administered in a pulsatile fashion. Str>Teriparatide has a short duration of action and half-life, and, as such, the initial effect is bone resorption. This effect is then followed by an increase in bone formation. Thus, when administered in a pulsatile fashion, this stimulates bone formation compared to resorption and, over time, leads to increased bone density.

#### **Indications**

#### Osteoporosis

Ostrich-with-porous-bones

As a PTH analog, teriparatide is commonly used to treat osteoporosis. It is also approved for the treatment of glucocorticoid-induced osteoporosis and can be considered a first line in higher-risk patients.

### **Adverse Effects**

### Increased Risk of Osteosarcoma

Up-arrow Risk Ostrich-shark-comb

Teriparatide should be used with caution in those with elevated risk factors for osteosarcoma. For instance, those with increased unexplained ALK-P, Paget disease of the bone, or those with a history of cancer or radiation therapy.

## Hypercalcemia

Hiker-calcified-cow

Teriparatide use can result in transitory hypercalcemia.

### Contraindications

### **Paget Disease of Bone**

Pageant-sash Skeleton with Caution-tape

Teriparatide should be used with caution in those with elevated risk factors for osteosarcoma. For instance, those with increased unexplained ALK-P, Paget disease of the bone, or those with a history of cancer or radiation therapy.



## **Radiation Therapy**

Radiation-radio with Caution-tape

Teriparatide should be used with caution in those with elevated risk factors for osteosarcoma. For instance, those with increased unexplained ALK-P, Paget disease of the bone, or those with a history of cancer or radiation therapy.