

Sorrow (Expressing)

Topic Definition

CREATIVE AUDIO

Zorro is wearing this sad expression because his day went bad from the start. His morning espresso gave him horrible breath, and he sunk to a new low by trying to cover it up. Thrusting forward his thread needle, he held up lemon mint for something to freshen his breath. They soon shared the same grievous look though, as a plane tv came crashing towards them. By simply passing through, so did the tragic fate of these loogie bees come to pass. A doll full bailed out, grasping at their loogies. She wasn't concerned about dragging them down. She merely spent her final moments full of self-concern, blowing snot into the last dollar to her name.

Instructional audio

In this scene is a list of synonyms for the expression of sorrow

Doleful; Doleful; adjective; expressing sorrow, mournful, or a misfortunate look.

Dolor; noun; painful grief.

Lament; lemon mint; noun; a passionate expression of grief. Lament can also be a verb meaning to mourn.

Lugubrious; loogie-bees; adjective; looking or sounding sad and dismal.

Plaintive; plane-tv; adjective; sounding sad and mournful.

Threnody; thread-needle; noun; a lament.


```

<!--[if gte mso 9]><xml>
<w:WordDocument>
<w:View>Normal</w:View>
<w:Zoom>0</w:Zoom>
<w:TrackMoves ></w:TrackMoves>
<w:TrackFormatting ></w:TrackFormatting>
<w:PunctuationKerning ></w:PunctuationKerning>
<w:ValidateAgainstSchemas ></w:ValidateAgainstSchemas>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF ></w:DoNotPromoteQF>
<w:LidThemeOther>EN-US</w:LidThemeOther>
<w:LidThemeAsian>X-NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>
<w:Compatibility>
<w:BreakWrappedTables ></w:BreakWrappedTables>
<w:SnapToGridInCell ></w:SnapToGridInCell>
<w:WrapTextWithPunct ></w:WrapTextWithPunct>
<w:UseAsianBreakRules ></w:UseAsianBreakRules>
<w:DontGrowAutofit ></w:DontGrowAutofit>
<w:SplitPgBreakAndParaMark ></w:SplitPgBreakAndParaMark>
<w:EnableOpenTypeKerning ></w:EnableOpenTypeKerning>
<w:DontFlipMirrorIndents ></w:DontFlipMirrorIndents>
<w:OverrideTableStyleHps ></w:OverrideTableStyleHps>
<w:Compatibility>
<m:mathPr>
<m:mathFont m:val="Cambria Math" ></m:mathFont>
<m:brkBin m:val="before" ></m:brkBin>
<m:brkBinSub m:val="&#45;" ></m:brkBinSub>
<m:smallFrac m:val="off" ></m:smallFrac>
<m:dispDef ></m:dispDef>
<m:lMargin m:val="0" ></m:lMargin>
<m:rMargin m:val="0" ></m:rMargin>
<m:defJc m:val="centerGroup" ></m:defJc>
<m:wrapIndent m:val="1440" ></m:wrapIndent>
<m:intLim m:val="subSup" ></m:intLim>
<m:naryLim m:val="undOvr" ></m:naryLim>
</m:mathPr>
</w:WordDocument>
</xml>
<![endif]>
<!--[if gte mso 9]><xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="true" DefSemiHidden="true" DefQFormat="false" DefPriority="99" LatentStyleCount="267">
<w:LsdException Locked="false" Priority="0" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Normal" ></w:LsdException>
<w:LsdException Locked="false" Priority="9" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="heading 1" ></w:LsdException>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 2" ></w:LsdException>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 3" ></w:LsdException>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 4" ></w:LsdException>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 5" ></w:LsdException>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 6" ></w:LsdException>

```

```

<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 7"
></w:LsdException> <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 8" ></w:LsdException> <w:LsdException Locked="false"
Priority="9" QFormat="true" Name="heading 9" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 1" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 2" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 3" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 4" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 5" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 6" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 7" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 8" ></w:LsdException>
<w:LsdException Locked="false" Priority="39" Name="toc 9" ></w:LsdException>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"
></w:LsdException> <w:LsdException Locked="false" Priority="10"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Title"
></w:LsdException> <w:LsdException Locked="false" Priority="1" Name="Default
Paragraph Font" ></w:LsdException> <w:LsdException Locked="false"
Priority="11" SemiHidden="false" UnhideWhenUsed="false" QFormat="true"
Name="Subtitle" ></w:LsdException> <w:LsdException Locked="false"
Priority="22" SemiHidden="false" UnhideWhenUsed="false" QFormat="true"
Name="Strong" ></w:LsdException> <w:LsdException Locked="false"
Priority="20" SemiHidden="false" UnhideWhenUsed="false" QFormat="true"
Name="Emphasis" ></w:LsdException> <w:LsdException Locked="false"
Priority="59" SemiHidden="false" UnhideWhenUsed="false" Name="Table Grid"
></w:LsdException> <w:LsdException Locked="false" UnhideWhenUsed="false"
Name="Placeholder Text" ></w:LsdException> <w:LsdException Locked="false"
Priority="1" SemiHidden="false" UnhideWhenUsed="false" QFormat="true"
Name="No Spacing" ></w:LsdException> <w:LsdException Locked="false"
Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading"
></w:LsdException> <w:LsdException Locked="false" Priority="61"
SemiHidden="false" UnhideWhenUsed="false" Name="Light List"
></w:LsdException> <w:LsdException Locked="false" Priority="62"
SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid"
></w:LsdException> <w:LsdException Locked="false" Priority="63"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1"
></w:LsdException> <w:LsdException Locked="false" Priority="64"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2"
></w:LsdException> <w:LsdException Locked="false" Priority="65"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1"
></w:LsdException> <w:LsdException Locked="false" Priority="66"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2"
></w:LsdException> <w:LsdException Locked="false" Priority="67"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1"
></w:LsdException> <w:LsdException Locked="false" Priority="68"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2"
></w:LsdException> <w:LsdException Locked="false" Priority="69"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3"
></w:LsdException> <w:LsdException Locked="false" Priority="70"
SemiHidden="false" UnhideWhenUsed="false" Name="Dark List"
></w:LsdException> <w:LsdException Locked="false" Priority="71"
SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading"
></w:LsdException> <w:LsdException Locked="false" Priority="72"
SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List"
></w:LsdException> <w:LsdException Locked="false" Priority="73"
SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid"
></w:LsdException> <w:LsdException Locked="false" Priority="60"
SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 1"
></w:LsdException> <w:LsdException Locked="false" Priority="61"
SemiHidden="false" UnhideWhenUsed="false" Name="Light List Accent 1"
></w:LsdException> <w:LsdException Locked="false" Priority="62"
SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 1"
></w:LsdException> <w:LsdException Locked="false" Priority="63"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent
1" ></w:LsdException> <w:LsdException Locked="false" Priority="64"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent

```


SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading Accent 5" ></w:LsdException> <w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List Accent 5" ></w:LsdException> <w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid Accent 5" ></w:LsdException> <w:LsdException Locked="false" Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="61" SemiHidden="false" UnhideWhenUsed="false" Name="Light List Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="63" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="65" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1 Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="66" SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 2 Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false" Name="Dark List Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid Accent 6" ></w:LsdException> <w:LsdException Locked="false" Priority="19" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis" ></w:LsdException> <w:LsdException Locked="false" Priority="21" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis" ></w:LsdException> <w:LsdException Locked="false" Priority="31" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference" ></w:LsdException> <w:LsdException Locked="false" Priority="32" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Reference" ></w:LsdException> <w:LsdException Locked="false" Priority="33" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Book Title" ></w:LsdException> <w:LsdException Locked="false" Priority="37" Name="Bibliography" ></w:LsdException> <w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC Heading" ></w:LsdException>

</w:LatentStyles> </xml><![endif]><!--<!--[if gte mso 10]>
<mce:style><!--
 /* Style Definitions */
 table.MsoNormalTable
 { mso-style-name:"Table Normal";
 mso-tstyle-rowband-size:0;
 mso-tstyle-colband-size:0;
 mso-style-noshow:yes;
 mso-style-priority:99;
 mso-style-parent:"";
 mso-padding-alt:0in 5.4pt 0in 5.4pt;
 mso-para-margin-top:0in;
 mso-para-margin-right:0in;
 mso-para-margin-bottom:10.0pt;
 mso-para-margin-left:0in;
 line-height:115%;
 mso-pagination:widow-orphan;
 font-size:11.0pt;
 font-family:"Calibri", "sans-serif";
 mso-ascii-font-family:Calibri;
 mso-ascii-theme-font:minor-latin;
 mso-hansi-font-family:Calibri;
 mso-hansi-theme-font:minor-latin;}
 --> <p> </p><p> </p><p> </p><!--<!--[endif]>>



PLAY PICMONIC

Threnody

Thread Needle

(thren-uh-dee)

Noun

A lament

Lament**Lemon Mint**

(luh-ment) Verb 1. Mourn Noun 2. A passionate expression of grief

Plaintive**Plane TV**

(pleyn-tiv) Adjective Sounding sad and mournful

Lugubrious**Loogie Bees**

(loo-goo-bree-uh s) Adjective Looking or sounding sad and dismal

Doleful**Doll-Full**

(dohl-fuh l) Adjective 1. Expressing sorrow; mournful 2. Causing grief or misfortune

Dolor or Dolorous**Dollar**

(doh-ler) Noun Painful grief