

## Offensive or Disgusting

Topic Definition  
A devil is filing is nails sitting on a disgusting fence. He's got an N-video on his lap. Rat-barbie is trying to get her N-video back from him and desperately reaching for it. She's stepping on feet-toad's back to get closer. Feet-toad is sticking his foot out towards two characters offensively grabbing at rat-barbie. Green O-odors are coming off his foot, causing puke kid to puke and nose-gnome to be repulsed

&nbsp;

Graphics

&nbsp;

The main topic is the O Fense so make that O stand out on the fence but make sure everything else are contrasting colors so that they stand out. Notice the frog and the gnome? They were the same as the picture you did in Nasty, so they should look identical. The Odious Old Dice is flashing the Rebarbative Rib Barbie and she is puking barbeque sauce so make it redish brown. Have fun and email us with questions!

OfficeDocumentSettings AllowPNG

In this scene are synonyms grouped with disgusting or offensive.

Debile; verb; sully, mar, or spoil.

Rebarbative; rib Barbie; adjective; unattractive and objectionable

Putrid; puke red; adjective; of or characteristic of rotting matter

Odious; the old dice; adjective; extremely unpleasant or repulsive.

Noisome; nose-gnome; adjective; having an extremely offensive smell, unpleasant

Invidious; N-videos; adjective; an action or situation likely to arouse or incur resentment or anger in others.

Fetid; feet toad; adjective; smelling extremely unpleasant

WordDocument ViewNormal View Zoom0 Zoom TrackMoves TrackFormatting PunctuationKerning ValidateAgainstSchemas SaveIfXMLInvalid false SaveIfXMLInvalid IgnoreMixedContent false AlwaysShowPlaceholderText false DoNotPromoteQF LidThemeOther EN-US LidThemeOther LidThemeAsian X-NONE LidThemeComplexScript X-NONE LidThemeComplexScript Compatibility BreakWrappedTables SnapToGridInCell WrapTextWithPunct UseAsianBreakRules DontGrowAutofit SplitPgBreakAndParaMark EnableOpenTypeKerning DontFlipMirrorIndents OverrideTableStyleHps Compatibility mathPr mathFont m:val="Cambria Math" m:brkBin m:val="before"

```
<m:brkBinSub m:val="&#45;" /> <m:smallFrac m:val="off" /> <m:dispDef />
<m:lMargin m:val="0" /> <m:rMargin m:val="0" /> <m:defJc m:val="centerGroup"
/> <m:wrapIndent m:val="1440" /> <m:intLim m:val="subSup" /> <m:naryLim
m:val="undOvr" /> <m:mathPr></w:WordDocument> </xml><![endif]--><!--[if gte
mso 9]><xml> <w:LatentStyles DefLockedState="false"
DefUnhideWhenUsed="true" DefSemiHidden="true" DefQFormat="false"
DefPriority="99" LatentStyleCount="267"> <w:LsdException Locked="false"
Priority="0" SemiHidden="false" UnhideWhenUsed="false" QFormat="true"
Name="Normal" /> <w:LsdException Locked="false" Priority="9"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="heading 1"
/> <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 2"
/> <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 3"
/> <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 4"
/> <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 5"
/> <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 6"
/> <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 7"
/> <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 8"
/> <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 9"
/> <w:LsdException Locked="false" Priority="39" Name="toc 1" />
<w:LsdException Locked="false" Priority="39" Name="toc 2" /> <w:LsdException
Locked="false" Priority="39" Name="toc 3" /> <w:LsdException Locked="false"
Priority="39" Name="toc 4" /> <w:LsdException Locked="false" Priority="39"
Name="toc 5" /> <w:LsdException Locked="false" Priority="39" Name="toc 6" />
<w:LsdException Locked="false" Priority="39" Name="toc 7" /> <w:LsdException
Locked="false" Priority="39" Name="toc 8" /> <w:LsdException Locked="false"
Priority="39" Name="toc 9" /> <w:LsdException Locked="false" Priority="35"
QFormat="true" Name="caption" /> <w:LsdException Locked="false" Priority="10"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Title" />
<w:LsdException Locked="false" Priority="1" Name="Default Paragraph Font" />
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle" /> <w:LsdException
Locked="false" Priority="22" SemiHidden="false" UnhideWhenUsed="false"
QFormat="true" Name="Strong" /> <w:LsdException Locked="false" Priority="20"
SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Emphasis"
/> <w:LsdException Locked="false" Priority="59" SemiHidden="false"
UnhideWhenUsed="false" Name="Table Grid" /> <w:LsdException Locked="false"
UnhideWhenUsed="false" Name="Placeholder Text" /> <w:LsdException
Locked="false" Priority="1" SemiHidden="false" UnhideWhenUsed="false"
QFormat="true" Name="No Spacing" /> <w:LsdException Locked="false"
Priority="60" SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading"
/> <w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List" /> <w:LsdException Locked="false"
Priority="62" SemiHidden="false" UnhideWhenUsed="false" Name="Light Grid" />
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1" /> <w:LsdException
Locked="false" Priority="64" SemiHidden="false" UnhideWhenUsed="false"
Name="Medium Shading 2" /> <w:LsdException Locked="false" Priority="65"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium List 1" />
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2" /> <w:LsdException
Locked="false" Priority="67" SemiHidden="false" UnhideWhenUsed="false"
Name="Medium Grid 1" /> <w:LsdException Locked="false" Priority="68"
SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2" />
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3" /> <w:LsdException
Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false"
Name="Dark List" /> <w:LsdException Locked="false" Priority="71"
SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading" />
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List" /> <w:LsdException
Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false"
Name="Colorful Grid" /> <w:LsdException Locked="false" Priority="60"
SemiHidden="false" UnhideWhenUsed="false" Name="Light Shading Accent 1" />
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 1" /> <w:LsdException
Locked="false" Priority="62" SemiHidden="false" UnhideWhenUsed="false"
```

Sign up for FREE at [pi](https://www.pinterest.com/jessicaholmes)

Sign up for FREE at [picmonic.com](https://www.picmonic.com)



UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6" /> <w:LsdException Locked="false" Priority="68" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6" /> <w:LsdException Locked="false" Priority="69" SemiHidden="false" UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6" /> <w:LsdException Locked="false" Priority="70" SemiHidden="false" UnhideWhenUsed="false" Name="Dark List Accent 6" /> <w:LsdException Locked="false" Priority="71" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Shading Accent 6" /> <w:LsdException Locked="false" Priority="72" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful List Accent 6" /> <w:LsdException Locked="false" Priority="73" SemiHidden="false" UnhideWhenUsed="false" Name="Colorful Grid Accent 6" /> <w:LsdException Locked="false" Priority="19" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis" /> <w:LsdException Locked="false" Priority="21" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis" /> <w:LsdException Locked="false" Priority="31" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference" /> <w:LsdException Locked="false" Priority="32" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Intense Reference" /> <w:LsdException Locked="false" Priority="33" SemiHidden="false" UnhideWhenUsed="false" QFormat="true" Name="Book Title" /> <w:LsdException Locked="false" Priority="37" Name="Bibliography" /> <w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC Heading" /> </w:LatentStyles> </xml><![endif]><!--[if gte mso 10]> <style> /\* Style Definitions \*/ table.MsoNormalTable {mso-style-name:"Table Normal"; mso-tstyle-rowband-size:0; mso-tstyle-colband-size:0; mso-style-noshadow:yes; mso-style-priority:99; mso-style-parent:""; mso-padding-alt:0in 5.4pt 0in 5.4pt; mso-para-margin-top:0in; mso-para-margin-right:0in; mso-para-margin-bottom:10.0pt; mso-para-margin-left:0in; line-height:115%; mso-pagination:widow-orphan; font-size:11.0pt; font-family:"Calibri", "sans-serif"; mso-ascii-font-family:Calibri; mso-ascii-theme-font:minor-latin; mso-hansi-font-family:Calibri; mso-hansi-theme-font:minor-latin;} </style> <![endif]><!--> <p>&nbsp;</p> <p class="MsoNormal">This <strong>O fence</strong> was used to separate the suburbs from disgusting districts.&nbsp;<strong>Once the</strong> devil filed</strong> an opening, all hell broke loose.&nbsp;<strong>Rib Barbie</strong> was walking home after treating herself to some tasty ribs.&nbsp;<strong>But they weren't so tasty on the way up.&nbsp;<strong>She puked red</strong> sauce at the sight of one seedy fellow, and understandably so.&nbsp;<strong>The old dice</strong> man took no offense while he exposed himself, and hoped they could do it again sometime.&nbsp;<strong>Nose gnome</strong> lives in the suburbs, but sneaks through the fence now and then for <strong>naughty N videos</strong>. It wasn't uncommon for a nasty <strong>feet toad</strong> to follow him home, shoving its foul feet at his ever receptive nostrils.&nbsp;</p> <p>&nbsp;</p>



PLAY PICMONIC

## Defile

### Devil File

(dih-fahyl)<br /><br />Verb<br /><br />To sully, mar, or spoil

## Rebarbative

### Rib Barbie

(ree-bahr-buh-tiv)<br /><br />Adjective<br /><br />Unattractive and objectionable

## Putrid

### Puke Red

(pyoo-trid)<br /><br />Adjective<br /><br />1. Of or characteristic of rotting matter<br /><br />2. Of organic matter decaying or rotting and emitting a fetid smell

## Odious

### Old Dice

(oh-dee-uh s)<br /><br />Adjective<br /><br />Extremely unpleasant; repulsive

## Noisome

### Nose-Gnome

(noi-suh m)<br /><br />Adjective<br /><br />1. Having an extremely offensive smell<br /><br />2. Disagreeable; unpleasant

**Invidious****N-Videos**

(in-vid-ee-uh s) <br /> <br /> Adjective <br /> <br /> 1. Of an action or situation likely to arouse or incur resentment or anger in others <br /> <br /> 2. Of a comparison or distinction unfairly discriminating; unjust

**Fetid****Feet Toad**

(fet-id) <br /> <br /> Adjective <br /> <br /> Smelling extremely unpleasant