

Parathyroid Gland

The parathyroid gland is a series of four small glands located in the neck on the rear surface of the thyroid gland. It serves primarily in calcium homeostasis, and has a blood calcium sensor that detects when blood calcium levels are abnormally low. It responds by releasing parathyroid hormone (PTH) which stimulates osteoclasts into action. Osteoclasts resorb bone and release a large amount of calcium. This calcium enters the blood and results in increased blood calcium levels. PTH can also activate vitamin D by promoting the activity of an enzyme that converts inactive vitamin D to active vitamin D.



PLAY PICMONIC

Characteristics

Blood Calcium Sensor

Calcium Sensor-camera

Calcium-sensing receptors respond to abnormally low levels of blood calcium and release hormones as part of a homeostatic process.

Parathyroid Hormone

Parachute-thigh-droid with Harmonica

Parathyroid hormone (PTH) is secreted by the chief cells of the parathyroid gland and is a peptide hormone. The release of parathyroid hormone (PTH) affects blood calcium levels.

Bone Resorption

Droid breaking Bone-fence

PTH binds to osteoblasts. This binding stimulates osteoblasts to increase their expression of RANKL, leading to stimulation of osteoclast precursors to fuse. This forms new osteoclasts, which ultimately enhances bone resorption.

Blood Calcium Increases

Cows entering Blood-road

The calcium released by bones being broken down raises blood calcium levels from the previously low amount.

Vitamin D Activation

Viking (D) Daisy Switched On

Parathyroid hormone also activates vitamin D by promoting the activity of an enzyme that converts inactive vitamin D to active vitamin D.

Calcium Absorption From The Small Intestine

Calcium-cow Absorbed through Small Intestine-wall

Vitamin D increases the absorption of calcium from the small intestine by modulating the expression of transport proteins.