

## Pityriasis Rosea

Pityriasis Rosea is a common skin disease leading to a characteristic rash. It usually begins as a large spot (herald patch) on the neck, chest, abdomen or back. Days later, this is followed by smaller lesions which display a "christmas tree" distribution. This is usually self-limiting after 6-8 weeks.



PLAY PICMONIC

### Preceded by Upper Respiratory Tract Infection

#### Upper-Respiratory Tract Infected

Pityriasis Rosea has been considered a viral exanthem, and has been linked to upper respiratory infections. It has been linked to HHV-7 (human herpesvirus 7). Often, these lesions occur a few days after a resolved illness, but have also been shown to have a higher incidence in those who are immunocompromised.

### Single "Herald Patch"

#### Herald-hare with Patch

This skin disorder initially presents as a solitary, salmon-colored patch with a well-distinguished border. These "herald patches" usually present on the neck, chest, abdomen or back, and are sometimes pruritic.

### "Christmas Tree" Distribution

#### Christmas Tree Distribution-plant

A few days to a week after initial presentation of the "herald patch," a secondary rash appears. This typically consists of bilateral and symmetric macules on the abdomen or back. They have a "christmas tree" distribution, with lesions extending from the midline out.

### Plaques with Collarette Scale

#### Plaque with Scaly-collar

These lesions are plaques, and are raised, ranging from 1-cm to 4-cm. They have a collarette scale, with scaling at the periphery of each lesion, which is often pruritic.

### Self-resolving in 6-8 Weeks

#### (6) Sax and (8) Ball

Treatment is supportive and treats symptoms such as dryness and pruritis. This is self-limiting and resolves in 6-8 weeks.