

## Tetralogy of Fallot

Tetralogy of Fallot (ToF) is a congenital birth defect that is comprised of a combination of four heart defects: pulmonary stenosis, right ventricular hypertrophy, overriding aorta, and a ventricular septal defect (VSD). Symptoms do not usually appear until after the ductus arteriosus begins to close within the first week of life. Tetralogy of Fallot is a common cause of cyanosis in neonates and requires surgical intervention within the first year of life.



PLAY PICMONIC

### Blue Baby Syndrome (Cyanosis)

#### Blue Baby

Tetralogy of Fallot is the most common cause of blue baby syndrome in newborns. Babies are "blue" due to the cyanosis experienced in this heart disorder. This cyanosis directly correlates to the level of pulmonary stenosis, which prevents blood flow to enter the lungs from the right ventricle and forces deoxygenated blood through a VSD and into the systemic circulation.

### Crying or Feeding

#### Baby Crying and Feeding

Neonates often become cyanotic during times of feeding or crying when oxygen demand is greater than supply. These babies are sometimes termed "blue babies."

### PROVe

### Pulmonary Stenosis

#### Lungs made of Stone

One of the tetralogies which can occur is pulmonary infundibular stenosis. Stenosis is another term for narrowing. In ToF the outflow tract of the right ventricle is narrowed. The degree of cyanosis is directly correlated to the severity of narrowing.

### Right Ventricular Hypertrophy

#### Right Vent Hiker-trophy

Increased pressure caused by the narrowed outflow tract (pulmonary stenosis) causes a compensatory increase inside of the right ventricle. This often causes a boot shaped heart in the neonate on diagnostic exams.

### Overriding Aorta

#### Over-riding A-orca

In Tetralogy of Fallot, the aorta is shifted slightly to the right anteriorly to be on top of the VSD (ventricular septal defect). This causes the aorta to receive blood flow from both the right and left ventricle allowing deoxygenated blood to circulate throughout the body.

## Ventricular Septal Defect (VSD)

### [Vase-hole-heart](#)

A defect/hole in the wall of the ventricles allows blood to shift between the ventricles. As pressures change between the left and right ventricle, deoxygenated blood can bypass the lungs and shunt into the left ventricle allowing deoxygenated blood to enter the systemic circulation.

## Diagnosis and Treatment

### Boot-Shaped Heart

#### [Boots on Heart](#)

Due to right ventricular hypertrophy (RVH), patients show a "boot-shaped" heart on X-ray.

### Squatting for Tet Spells

#### [Squatting](#)

Cyanotic episodes are termed "tet spells" and classically children will squat to relieve the cyanosis. Squatting increases the systemic vascular resistance, which decreases the amount of blood that crosses improperly through the VSD. This allows more blood flow to properly flow through the lungs.

### Surgery

#### [Surgeon](#)

The only definitive treatment for Tetralogy of Fallot is surgical treatment to correct the heart malformations.