

## P450 Inducer

Cytochrome P450 is a large superfamily of enzymes essential for drug metabolism and bioactivation. In humans, most cytochrome P450 enzymes are membrane-associated proteins found throughout body tissues. They play key roles in hormone synthesis and breakdown, cholesterol production, and vitamin D metabolism. P450 inducers are drugs that increase enzyme activity, leading to faster metabolism of other drugs processed by this system. Commonly tested inducers include phenytoin, griseofulvin, St. John's Wort, carbamazepine, rifampin, barbiturates, and chronic alcohol use.



**PLAY PICMONIC** 

## Griseofulvin

# Grizzly-full-bear

Griseofulvin is an orally administered antifungal drug for treatment of fungal infections of skin and nails. This drug interferes with microtubule function and therefore disrupts mitosis of fungal organisms.

#### Phenytoin

Phone-tow-truck

Phenytoin is a commonly used antiepileptic drug. It acts to suppress abnormal brain activities via blockade of sodium channels. It is also a class 1B antiarrhythmic

### Carbamazepine

Car-bomb-maze-pine

Carbamazepine is an anticonvulsant and mood stabilizing drug. It is commonly used for epilepsy and trigeminal neuralgia

#### Rifampin

Ref-amp

Rifampin is used mainly for the treatment of active Mycobacterium tuberculosis. It acts by inhibiting the DNA dependent RNA polymerase

#### **Barbiturates**

Barbara-doll

Barbiturates are drugs that depress the central nervous system by increasing the duration of chloride channel opening and thus decreasing neuron firing. They are commonly used for anxiety and seizures.

#### **Chronic Alcohol Use**

Old Crone with Alcohol

Chronic alcohol use causes the liver to increase transcription and translation of p450 enzymes to metabolize the toxic byproducts of alcohol and induces the p450 system

# St. John's Wort

Saint John on a Wart

St. John's Wort is best known as an herbal treatment commonly used for mild depression