

Langerhans Cell Histiocytosis

Langerhans Cell Histiocytosis is a rare disorder caused by clonal proliferation of antigen-presenting cells known as Langerhans cells. The defect lies in antigen presentation. This disease can present with lytic bone lesions, most commonly in the skull, or with systemic manifestations like hypopituitarism, diabetes insipidus, skin rash, and recurrent otitis media. On electron microscopy, Birbeck granules with a "tennis racket" appearance can be seen. On immunohistochemistry, cells will show S100 positivity. Asymptomatic solitary bone lesions in low-risk anatomical regions are managed with observation. Prednisone with or without vinblastine is given for bone lesions in high-risk anatomical regions or with systemic manifestations.



PLAY PICMONIC

Characteristics

Antigen Presentation Defect

Ant-gem Presentation Defected

Langerhans cells are antigen-presenting dendritic cells in the epidermis. These dendritic cells migrate from the bone marrow to the skin and lymph nodes. In Langerhans cell histocytosis, these cells undergo clonal proliferation in the bone marrow.

Lytic Bone Lesions

Punch Through a Light-bulb Bone

In Langerhans cell histiocytosis, infiltration of histiocytes into the bone marrow affects bone architecture. Lytic lesions are present. Bone lesions known as eosinophilic granulomas are present as both unifocal and multifocal lesions. Lytic lesions usually present as bone pain and pathological fractures.

Skull

Skull

The skull is the most common bone to be affected by infiltration. The second most commonly affected bones are the long bones of the upper limb.

Presentation

Hypopituitarism

Hippo-pit-bull-terrier

In multifocal disease, the hypothalamic-pituitary axis is involved and Hand-Schüller-Christian triad is present. Bulging of eyes, diabetes insipidus, and bone breakdown comprises this triad.

Diabetes Insipidus

Dyed-bead-pancreas with Sippy-cup

The triad of diabetes insipidus, exophthalmos, and lytic bone lesions is known as the Hand-Schüller-Christian triad. Diabetes insipidus presents with polyuria due to decreased ADH Secretion.

Skin Rash

Dermatologist Examining Rash

In multifocal disease, scaly erythematous lesions and red papules can be present and are more pronounced in intertriginous areas. Up to 80% of LCH patients have extensive eruptions on the scalp.

Recurrent Otitis Media

Recurring Oats-out-of-ear

Due to skull involvement, the mastoid process of the temporal bone is also affected. Due to the destruction of the mastoid antral cells, recurrent otitis media is common.

Diagnosis



Birbeck Granules

Barbed-wire and Granny

Birbeck granules are collections of rod- or racket-shaped organelles found in Langerhans cells. The exact function of these organelles is not known.

"Tennis Racket" Appearance

Tennis Racket

Birbeck granules are often said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a "tennis racket" appearance with a loop and handle.

said to have a loop and handle.

S100 Positive

S100-sign

Management

Observation

Observatory

If the disease is unifocal and spares the skull without any major systemic manifestations, the patient is kept under observation.

Prednisone +/- Vinblastine

Predator and Van-blasting

If the patient has skull involvement, multiple bone lesions, or systemic manifestations, immunosuppression with prednisone is initiated. Bone lesions are excised. Chemotherapy with vinblastine is added in systemic disease. Pituitary hormone replacement is also indicated.
